eurobodalla Liquid Trade Waste to the sewerage system Print to PDF or Printe Start again under Liquid Trade Waste Management Guidelines 2021 Submit form by email

(works from Acrobat only) Send your application to: If you have questions or need help with your application: Eurobodalla Shire Council Please contact Council's Liquid Trade Officer 89 Vulcan St, Moruya NSW 2537 on 02 4474 1000 or visit our Moruya customer service office council@esc.nsw.gov.au between 8.30am-4.30pm weekdays.

This application is for businesses that wish to discharge liquid trade waste to the sewerage system, or renew an existing/expired approval.

Please include all details as requested, and make sure you read the section on page 3 regarding substances that must not be discharged to the sewerage system. When completed, please lodge this form with Council via email at council@esc.nsw.gov.au, along with all supporting documentation and plans. Applicable fees must be paid at the time of lodgment.

Note: If renewing an existing/expired approval where the business details, liquid trade waste activities and drainage installation have not changed, no fees will apply and drainage plans will not be required.

Part 1. Property (site address) details											
Street no.	St	treet									
Town/ locality											
Lot/ portion		Section				Depos	sited/ st	rata pla	an		
Part 2: Applican	t details										
Name/ company full name, no initials											
Postal address											
Contact name if not the applicant							Refere	nce			
Daytime phone		M	obile					Fax			
Email address								-		eceive corre	
Is the applicant the property owner ? Yes No Note: If the applicant is not the property owner, please complete <i>Part 3. Property owner details</i> .							•				
Part 3. Property	owner detail	s (p	lease	complet	e if the ap	plicant	at Part	2 is no	t the o	wner)	
Name/ company full name, no initials											
Postal address											
Daytime phone		Er	nail								
Part 4. Occupier	^r details										
Business trading name											
Contact name(s) [
Daytime phone		Er	nail								

Application/renewal for discharge of



Part 5. Liquid trade waste details

Business type

Г

Describe all process(es) generating liquid trade waste and substances contained in waste for disposal to the sewer: (eg, commercial retail food preparation activities/equipment and premises cleaning/detergents, fats, oils, food residues; automotive repair/equipment, parts and premises cleaning/detergents, degreasers, fuels, coolant oils, grease, soil/dirt; etc,).

Is any water	supply meter	being installed?	Yes	No				
Provide deta	ails of existing	proposed equipment:	(grease arres	tor, cooling pit, screens,	dump point etc,)			
Make and model								
Size/ flow rate								
Describe pro	Describe proposed cleaning schedule of pre-treatment equipment, and names of contractors used:							
	<u> </u>							
The applic	ation must i	include a copy of the pla	ns attached. sho	owing:				
The application must include a copy of the plans attached, showing: (a) details and location of all processes, tanks, pits and apparatus associated with the generation of commercial waste								
(b) details, location, capacity/dimensions, material of construction and lining of proposed pre-treatment facilities								
(c) details of pipes and floor drainage conveying the effluent								
(d) stormwater drainage plan.								
* not required for renewal application if there are no changes to above details from previous application								
Part 6. Authorisation								
Please read the list of prohibited substances on page 3 before signing the application:								
Applicant sig	gnature(s)			Date				
Owner's authorisation to making the application is mandatory under section 78 of the Local Government Act 1993								
Owner signa	nture(s)			Date				



SUBSTANCES PROHIBITED FROM BEING DISCHARGED INTO THE SEWERAGE SYSTEM

Pursuant to clause 3.2.2 of the *Liquid Trade Waste Management Guidelines 2021*, the following substances are prohibited from being discharged into the sewerage system:

• organochlorine weedicides, fungicides, pesticides, herbicides and substances of a similar nature and/or wastes arising from the preparation of these substances

- organophosphorus pesticides and/or waste arising from the preparation of these substances
- per and poly-fluoroalkyl substances (PFAS)
- any substances liable to produce noxious or poisonous vapours in the sewerage system
- organic solvents and mineral oil*
- any flammable or explosive substances*
- discharges from chemicals and/or oil storage areas and 'bulk fuel depots'
- natural or synthetic resins, plastic monomers, synthetic adhesives, rubber and plastic emulsions

• roof, rain, surface, seepage or ground water, unless specifically permitted (clause 137A of the Local Government (General) Regulation 2021)

solid matter*

• disposable products including wet wipes, cleaning wipes, colostomy bags, cat litter and other products marketed as flushable

• any substance assessed as not suitable to be discharged to the sewerage system

• liquid waste that contains pollutants at concentrations which inhibit the sewage treatment process – refer to Australian Sewage Quality Management Guidelines, June 2012, WSAA

- any other substances listed in a relevant regulation
- *In excess of the approved limit (refer to Table 6 of the Liquid Trade Waste Management Guidelines 2021).

Privacy Statement: The information you provide on this form is being collected by Council for the purpose of assessing your application and may be disclosed outside Council as required by law. This information is required for assessment of your application, which may not be accepted or processed if all of the requested information is not provided. Please contact us if the information you have provided requires updating. Visit <u>www.esc.nsw.gov.au/privacy-statement</u> for more information.

Office use only							
Application fee		PIN					
Receipt number		File number					
Date		Application number					
Discharge category	A B C						
Discharge factor							
Description of flow	Maximum rate of discharge	e to the sewer	kL/hr or L/sec				
	Maximum daily discharge t	o the sewer	kL				
Sample point location							